

Date 4.3.2011

Previous date: 23.11.2010

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**
1.1.1 Commercial Product Name
ROSTEX SUPER AKVA
- 1.1.2 Product code**
006 5621, 006 5622
- 1.2 Relevant identified uses of the substance or mixture and uses advised against**
1.2.1 Recommended use
Painting work.
Description: Waterborne anti-corrosive primer.
- 1.3 Details of the supplier of the safety data sheet**
1.3.1 Supplier
Tikkurila Oyj
- P.O.Box** P.O.Box 53
Postcode and post office FI-01301 VANTAA
FINLAND
- Telephone** +358 9 857 71
Telefax +358 9 8577 6936
- 1.3.4 Responsible for the Safety Data Sheet:**
Tikkurila Oyj, Product Safety, e-mail: productsafety@tikkurila.com
- 1.4 Emergency telephone number**
1.4.1 Telephone number, name and address
Tikkurila Oyj, Environment and Safety: +358 9 857 71

2. HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture**
67/548/EEC - 1999/45/EC
R52/53
- 2.2 Label elements**
67/548/EEC - 1999/45/EC
R-phrases(s)
R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- S-phrase(s)**
S2 Keep out of the reach of children.
S29 Do not empty into drains.
- Contains:**
Zinc phosphate
- 2.3 Other hazards**

3. COMPOSITION/INFORMATION ON INGREDIENTS

- 3.2 Mixtures**
- | Hazardous components | | Chemical name of the substance | Concentration | Classification |
|----------------------|-----------|--------------------------------|---------------|---------------------|
| CAS number | EINECS | | | |
| 112-34-5 | 203-961-6 | Butyl diglycol | 1 - 5 % | Xi; R36 |
| 111-76-2 | 203-905-0 | Butyl glycol | 1 - 5 % | Xn; R20/21/22-36/38 |
| 7779-90-0 | 231-994-3 | Zinc phosphate | 1 - 2,5 % | N; R50/53 |

ROSTEX SUPER AKVA

Date 4.3.2011

Previous date: 23.11.2010

1314-13-2	215-222-5	Zinc oxide	< 0,5 %	N; R50/53
55406-53-6	259-627-5	3-Iodo-2-propynyl butyl carbamate	< 0,5 %	Xn, N; R20/22-41-50

3.3 Other information

See Section 16 for full text of R-phrases and H-statements.

4. FIRST AID MEASURES**4.1 Description of first aid measures**

In all cases of doubt, or when symptoms persist, seek medical attention.

4.1.2 Inhalation

4.1.3 Skin contact

Wash skin thoroughly with soap and water or use recognized skin cleanser. Do not use solvents or thinners.

4.1.4 Eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 15 minutes and seek medical advice if necessary.

4.1.5 Ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious). Obtain medical attention, when necessary.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of immediate medical attention and special treatment needed

5. FIREFIGHTING MEASURES**5.1 Extinguishing media****5.1.1 Suitable extinguishing media**

5.1.2 Extinguishing media which must not be used for safety reasons

5.2 Special hazards arising from the substance or mixture

5.3 Advice for firefighters

6. ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Do not allow to enter drains or water courses.

6.3 Methods and materials for containment and cleaning up

Contain and collect spillage with absorbent materials, e.g. sand or vermiculite and place in a container for disposal according to local regulations. Clean preferably with water or detergent; avoid the use of solvents.

6.4 Reference to other sections

7. HANDLING AND STORAGE

Date 4.3.2011

Previous date: 23.11.2010

- 7.1 Precautions for safe handling**
Avoid skin and eye contact. Avoid inhalation of vapour and spray mist. Avoid inhalation of dust from sanding. Smoking, eating and drinking should be prohibited in application area.
- 7.2 Conditions for safe storage, including any incompatibilities**
Store in a cool, dry, well ventilated place. Keep away from oxidising agents, from strongly alkaline and strongly acid materials. No smoking. Keep container tightly closed. Do not allow to freeze.
- 7.3 Specific end use(s)**

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters**
- 8.1.1 Occupational exposure limit values**
Butyl diglycol (EU) 10 ppm (8 h)
Butyl glycol (TLV-TWA, EU) 20 ppm (8 h)
- 8.1.2 Other information on limit values**
TLV-TWA = Threshold Limit Values - Time-weighted average according to ACGIH 2009 (American Conference of Governmental Industrial Hygienists)
EU = Occupational Exposure Limit Values according to EU Directives 1998/24/EC, 2000/39/EC, 2006/15/EC, 2009/161/EU.
- 8.2 Exposure controls**
- 8.2.1 Appropriate engineering controls**
Provide adequate ventilation.
- 8.2.2 Individual protection measures**
- 8.2.2.1 Respiratory protection**
If ventilation during spray-application is insufficient, use appropriate certified respirators with gas, vapour and dust filter AP.
- 8.2.2.2 Hand protection**
Always wear protective gloves.
Barrier creams may help to protect the exposed areas of the skin, they should however not be applied once exposure has occurred.
Gloves should be replaced regularly. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Recommended protective glove type is e.g.: nitrile rubber (breakthrough time > 480 min.)
PVA gloves are not recommended.
- 8.2.2.3 Eye/face protection**
Use safety eyewear, specially during spray-application.
- 8.2.2.4 Skin protection**
Wear suitable protective clothing during spray-application.

9. PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 Important Health Safety and Environmental Information**
- 9.1.1 Appearance**
Coloured, viscous liquid, strong odour.
- 9.1.6 Initial boiling point and boiling range** -
- 9.1.7 Flash point** -
- 9.1.10 Explosive properties**
- 9.1.10.1 Lower explosion limit** -
- 9.1.10.2 Upper explosion limit** -
- 9.1.11 Vapour pressure** -
- 9.1.13 Relative density** 1,2

Date 4.3.2011

Previous date: 23.11.2010

9.1.14	Solubility(ies)	
9.1.14.1	Water solubility	Soluble
9.2	Other information	
	-	

10. STABILITY AND REACTIVITY

10.1	Reactivity See section 10.5.
10.2	Chemical stability Stable under recommended storage and handling conditions (see section 7).
10.3	Possibility of hazardous reactions See section 10.5.
10.4	Conditions to avoid When exposed to high temperatures may produce hazardous decomposition products.
10.5	Incompatible materials Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.
10.6	Hazardous decomposition products Hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc. may produce when exposed to high temperatures.

11. TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects There are no toxicological test data available on the product itself.
11.1.3	Sensitisation The product is not classified as sensitizing by skin contact, but it contains small amounts of preservatives which may produce an allergic reaction: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-on and 2-methyl-2H - isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one and bronopol
11.1.8	Other information on acute toxicity Inhalation: Long term exposure to spray mist may cause irritation of respiratory system. Skin contact: Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis. The liquid splashed in the eyes may cause irritation. Ingestion: Ingestion may cause nausea.

12. ECOLOGICAL INFORMATION

12.1	Toxicity
12.1.1	Aquatic toxicity Zinc phosphate: LC50(fish) = 0,14-2,6 mg Zn ²⁺ /l; EC50(48h, daphnia magna) = 0,04-0,86 mg Zn ²⁺ /l, EC50 (72h, algae) = 0,136-0,150 mg Zn ²⁺ /l Zinc oxide: EC50 = 0,17 mg/l, selenastrum capricornutum, 72 h; very toxic.
12.2	Persistence and degradability
12.2.1	Biodegradation -
12.3	Bioaccumulative potential -
12.4	Mobility in soil -
12.5	Results of PBT and vPvB assessment -

Date 4.3.2011

Previous date: 23.11.2010

12.6 Other adverse effects

There is no ecotoxicological test data available on the product itself. The product should not be allowed to enter drains or water courses.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product residues:

Gather residues into waste containers. Destroy according to the rules given by local authorities. EWC-code for liquid waste is e.g 08 01 11 or 08 01 12 (waste paint and varnish).

Packaging waste:

Empty cans should be recycled or disposed of in accordance with local regulations.

14. TRANSPORT INFORMATION

14.1 UN number

-

14.2 UN proper shipping name

-

14.3 Transport hazard class(es)

not classified

14.4 Packing group

-

14.5 Environmental hazards

The product is not classified as environmentally hazardous according to international transport regulations.

14.6 Special precautions for users

-

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

-

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

-

15.2 Chemical safety assessment

-

16. OTHER INFORMATION

16.5 Full text of R-phrases and/or Hazard statements (H-statements) referred to under sections 2 and 3

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R20/22 Harmful by inhalation and if swallowed.

R36 Irritating to eyes.

R36/38 Irritating to eyes and skin.

R41 Risk of serious damage to eyes.

R50 Very toxic to aquatic organisms.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

16.8 Additional information

ROSTEX SUPER AKVA

Date 4.3.2011

Previous date: 23.11.2010

This Safety Data Sheet is prepared in accordance with Annex II (EU) No 453/2010 to Regulation (EC) No 1907/2006 (REACH).

The information contained in this Safety Data Sheet is based on the present state of knowledge and current EU and national legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

Additional information available from:

Tikkurila Oyj, Product Safety, P.O. Box 53, FIN-01301 VANTAA, FINLAND,
Telephone +358 9 857 71, Fax +358 9 8577 6936, E-mail: productsafety@tikkurila.com

Signature

g/niear